



Nor E First Response, Inc. Mobile Casualty Response Systems

www.nor-e.com

Desert King™ Collapsible Fabric Tank

The **Desert King™** was specifically designed for liquid fuel storage. It is ideal for use with fuels that have a high aromatic content. The **Desert King™** has a unique design and is constructed from a fabric exclusive to Nor E. It exceeds all quality standards for design, construction, and diffusion reduction.

Desert King storage reservoirs solve liquid storage problems. These tanks combine portability and versatility with economy. These tanks are available in a full range of sizes from 100 to 50,000 USG and larger, if required, for containment of fuel, water, or virtually any liquid.



Portable & Transportable

The **Desert King** system is easily and quickly installed and can be used immediately. Almost no site preparation is involved. The tanks are lightweight and, because they are fully collapsible, they offer a liquid containment capacity many times larger than their transportable size. The **Desert King** can easily be folded, transported and relocated. Compared to steel tanks, the **Desert King** offers significant cost savings in transportation and site preparation and it won't rust or corrode.

Proven and Reliable

Desert King containers are constructed from high strength industrial fabrics and are crafted to the highest production standards in the industry. The durable fabric of the tank always hugs the surface of the contained fluid so only a few square inches of liquid are exposed directly to the air. This is an important feature for fuel storage, as there is virtually no area where water vapour can condense and contaminate the fuel. Likewise, dangerous vapours cannot accumulate, as the tank continuously adjusts itself to whatever volume of liquid is in storage. The improved fuel quality provided by **Desert King** storage results in significant cost savings due to longer fuel life and fewer problems with the equipment using the fuel.

A Desert King for Your Application

The **Desert King** was designed by Nor E to contain jet fuels, diesel and gasoline. It was developed to store fuels with up to 60% aromatic content in the most extreme environments.



DESCRIPTION OF DESERT KING TANKS

Petro-Shield (Desert King)

Petro-Shield tanks are constructed from urethane coated nylon fabric. This fabric meets U.S. Military Specification MIL-T-52983E.

The following fluids are acceptable for containment in **Desert King Petro-Shield** tanks: JP-1, JP-4, JP-8, Kerosene, diesel fuels with less than 60% aromatic content, regular gasoline, isopropyl alcohol. With optional corrosion proof fittings: Phosphoric acid (10%), sodium hydroxide (60%).

Before ordering, we suggest that you discuss your intended application with an Nor E representative. For storage of water or other non-fuel liquids see the Terra Tank.

DESERT KING TANK SPECIFICATIONS

Capacity	Nominal Dimensions Empty (W x L)		Approx. Shipping Weight including Crate		Approx. Shipping Crate Dimensions	
	U.S. Gal./Litres	Feet	Metres	Lbs	Kg	Inches
100/379	4.5 x 4.8	1.4 x 1.5	132	60	36 x 38 x 17	92 x 97 x 44
120/454	5.2 x 4.8	1.6 x 1.5	145	66	36 x 38 x 17	92 x 97 x 44
250/946	5.0 x 7.0	1.6 x 2.2	172	78	36 x 38 x 17	92 x 97 x 44
300/1,135	5.9 x 7.0	1.8 x 2.2	178	81	36 x 38 x 17	92 x 97 x 44
500/1,893	9.0 x 7.0	2.8 x 2.2	185	84	36 x 38 x 17	92 x 97 x 44
600/2,271	10.6 x 7.0	3.3 x 2.2	191	87	36 x 38 x 17	92 x 97 x 44
750/2,839	8.4 x 9.4	2.6 x 2.9	205	93	36 x 38 x 17	92 x 97 x 44
900/3,407	9.6 x 9.4	3.0 x 2.9	211	96	36 x 38 x 17	92 x 97 x 44
1,000/3,785	10.6 x 9.4	3.3 x 2.9	244	111	36 x 38 x 17	92 x 97 x 44
1,200/4,542	12.4 x 9.4	3.8 x 2.9	257	117	36 x 38 x 17	92 x 97 x 44
1,500/5,678	14.9 x 9.4	4.6 x 2.9	290	132	48 x 48 x 12	122 x 122 x 31
1,800/6,814	15.0 x 9.4	4.6 x 2.9	304	138	48 x 48 x 12	122 x 122 x 31
2,000/7,571	10.6 x 14.0	3.3 x 4.3	317	144	48 x 48 x 12	122 x 122 x 31
2,400/9,085	11.7 x 14.0	3.6 x 4.3	343	156	48 x 48 x 12	122 x 122 x 31
2,500/9,464	12.6 x 14.0	3.9 x 4.3	350	159	48 x 48 x 12	122 x 122 x 31
3,000/11,356	14.6 x 14.0	4.5 x 4.3	356	162	48 x 48 x 18	122 x 122 x 46
3,600/13,627	17.0 x 14.0	5.2 x 4.3	409	186	48 x 48 x 18	122 x 122 x 46
4,000/15,142	18.0 x 14.0	5.5 x 4.3	416	189	48 x 48 x 18	122 x 122 x 46
4,800/18,170	20.0 x 14.0	6.1 x 4.3	429	195	48 x 48 x 18	122 x 122 x 46
5,000/18,927	14.6 x 18.8	4.5 x 5.8	471	214	48 x 48 x 24	122 x 122 x 61
6,000/22,712	16.0 x 18.8	4.9 x 5.8	492	224	48 x 48 x 24	122 x 122 x 61
7,500/28,391	19.9 x 18.8	6.1 x 5.8	544	247	48 x 48 x 36	122 x 122 x 92
9,000/34,069	23.4 x 18.8	7.2 x 5.8	645	293	48 x 48 x 36	122 x 122 x 92
10,000/37,854	24.6 x 18.8	7.5 x 5.8	660	300	48 x 48 x 40	122 x 122 x 102
12,000/45,425	21.6 x 23.4	6.6 x 7.2	739	336	48 x 48 x 40	122 x 122 x 102
15,000/56,781	26.7 x 23.4	8.2 x 7.2	759	345	48 x 48 x 40	122 x 122 x 102
18,000/68,137	30.0 x 23.4	9.2 x 7.2	832	378	48 x 48 x 40	122 x 122 x 102
20,000/75,708	27.11 x 28.0	8.3 x 8.6	884	402	48 x 48 x 40	122 x 122 x 102
24,000/90,850	33.11 x 28.0	10.1 x 8.6	1122	509	48 x 48 x 40	122 x 122 x 102
25,000/94,635	35.5 x 28.0	10.9 x 8.6	1135	515	48 x 48 x 48	122 x 122 x 122
48,000/181,699	50.0 x 32.8	15.3 x 10.0	1782	809	48 x 48 x 48	122 x 122 x 122
50,000/189,270	52.0 x 32.8	15.9 x 10.0	1934	878	48 x 84 x 40	122 x 214 x 102

Nor E First Response, Inc. P.O. Box 30888 Bellingham, WA 98228-4090 U.S.A

Toll Free: 1-800-686-5277 Tel: (360) 647-5277 Fax: (360) 647-5906 Email: info@nor-e.com www.nor-e.com